

LAKE ELECTROFISHING DATA COLLECTION SHEET (FALL)

Form 3600A-191

8-95

Department of Natural Resources

Lake: Minong Flowage MWB Code: 2692900 Date: 09/22/21 County: Washburn Collector(s): Bass, Roberts, Thompson

Target Fish: Juvenile Walleye Survey Type: CPE Mark Given: None Water Temperature: 66°F Station: Portion of Shoreline

Adverse Conditions: Algae Gear Type: Boomshocker Distance Shocked: 5.0 miles

Volts: 220 Amps: 4.5 Current Type: AC DC Pulsed DC Pulse Rate: None Duty Cycle: None

Shocking Start Time: 1940 Shocking End Time: 2202 Generator Start Hour: 51.6 Generator End Hour: 53.6

Number of Dippers: 1 2 Entire Shoreline Shocked: Y N I Dipnet Mesh Size: 3/8 inch bar H2O Clarity: Turbid

| Walleye < 12.0" | | | |
|-----------------|--------|---------------|--------|
| Inches | Number | Inches | Number |
| <3.0 | | 7.5 | 3 |
| 3.0 | | 7.6 | 2 |
| 3.1 | | 7.7 | 1 |
| 3.2 | | 7.8 | 2 |
| 3.3 | | 7.9 | |
| 3.4 | | 8.0 | |
| 3.5 | | 8.1 | |
| 3.6 | | 8.2 | |
| 3.7 | | 8.3 | |
| 3.8 | | 8.4 | |
| 3.9 | | 8.5 | |
| 4.0 | | 8.6 | |
| 4.1 | | 8.7 | |
| 4.2 | | 8.8 | |
| 4.3 | | 8.9 | |
| 4.4 | | 9.0 | |
| 4.5 | | 9.1 | 1 |
| 4.6 | | 9.2 | 1 |
| 4.7 | | 9.3 | |
| 4.8 | | 9.4 | 1 |
| 4.9 | | 9.5 | 1 |
| 5.0 | | 9.6 | 3 |
| 5.1 | | 9.7 | 2 |
| 5.2 | | 9.8 | 4 |
| 5.3 | 2 | 9.9 | 2 |
| 5.4 | 4 | 10.0 | 6 |
| 5.5 | 2 | 10.1 | 3 |
| 5.6 | 3 | 10.2 | 2 |
| 5.7 | 10 | 10.3 | 6 |
| 5.8 | 11 | 10.4 | 4 |
| 5.9 | 7 | 10.5 | 3 |
| 6.0 | 13 | 10.6 | 3 |
| 6.1 | 17 | 10.7 | 3 |
| 6.2 | 20 | 10.8 | 2 |
| 6.3 | 26 | 10.9 | 1 |
| 6.4 | 21 | 11.0 | 1 |
| 6.5 | 36 | 11.1 | |
| 6.6 | 30 | 11.2 | |
| 6.7 | 24 | 11.3 | 1 |
| 6.8 | 18 | 11.4 | |
| 6.9 | 18 | 11.5 | |
| 7.0 | 17 | 11.6 | 2 |
| 7.1 | 13 | 11.7 | |
| 7.2 | 5 | 11.8 | |
| 7.3 | 7 | 11.9 | |
| 7.4 | 2 | Total: | 366 |

| Inches | Walleye | Northern Pike | Muskellunge | Largemouth Bass | Smallmouth Bass | Inches | Walleye | Northern Pike | Muskellunge |
|----------------|---------|---------------|-------------|-----------------|-----------------|-----------|---------|---------------|-------------|
| <1.5 | | | | | | 24.5-24.9 | | | |
| 1.5-1.9 | | | | | | 25.0-25.4 | | | |
| 2.0-2.4 | | | | | | 25.5-25.9 | | | |
| 2.5-2.9 | | | | | | 26.0-26.4 | | | |
| 3.0-3.4 | | | | | | 26.5-26.9 | | | |
| 3.5-3.9 | | | | | | 27.0-27.4 | | | |
| 4.0-4.4 | | | | | | 27.5-27.9 | | | |
| 4.5-4.9 | | | | | | 28.0-28.4 | | | |
| 5.0-5.4 | | | | | | 28.5-28.9 | | | |
| 5.5-5.9 | | | | | | 29.0-29.4 | | | |
| 6.0-6.4 | | | | | | 29.5-29.9 | | | |
| 6.5-6.9 | | | | | | 30.0-30.4 | | | |
| 7.0-7.4 | | | | | | 30.5-30.9 | | | |
| 7.5-7.9 | | | | | | 31.0-31.4 | | | |
| 8.0-8.4 | | | | | | 31.5-31.9 | | | |
| 8.5-8.9 | | | | | | 32.0-32.4 | | | |
| 9.0-9.4 | | | | | | 32.5-32.9 | | | |
| 9.5-9.9 | | | | | | 33.0-33.4 | | | |
| 10.0-10.4 | | | | | | 33.5-33.9 | | | |
| 10.5-10.9 | | | | | | 34.0-34.4 | | | |
| 11.0-11.4 | | | | | | 34.5-34.9 | | | |
| 11.5-11.9 | | | | | | 35.0-35.4 | | | |
| 12.0-12.4 | 1 | | | | | 35.5-35.9 | | | |
| 12.5-12.9 | | | | | | 36.0-36.4 | | | |
| 13.0-13.4 | | | | | | 36.5-36.9 | | | |
| 13.5-13.9 | | | | | | 37.0-37.4 | | | |
| 14.0-14.4 | | | | | | 37.5-37.9 | | | |
| 14.5-14.9 | | | | | | 38.0-38.4 | | | |
| 15.0-15.4 | | | | | | 38.5-38.9 | | | |
| 15.5-15.9 | | | | | | 39.0-39.4 | | | |
| 16.0-16.4 | | | | | | 39.5-39.9 | | | |
| 16.5-16.9 | | | | | | 40.0-40.4 | | | |
| 17.0-17.4 | | | | | | 40.5-40.9 | | | |
| 17.5-17.9 | | | | | | 41.0-41.4 | | | |
| 18.0-18.4 | | | | | | 41.5-41.9 | | | |
| 18.5-18.9 | | | | | | 42.0-42.4 | | | |
| 19.0-19.4 | | | | | | 42.5-42.9 | | | |
| 19.5-19.9 | | | | | | 43.0-43.4 | | | |
| 20.0-20.4 | | | | | | 43.5-43.9 | | | |
| 20.5-20.9 | | | | | | 44.0-44.4 | | | |
| 21.0-21.4 | | | | | | 44.5-44.9 | | | |
| 21.5-21.9 | | | | | | 45.0-45.4 | | | |
| 22.0-22.4 | | | | | | 45.5-45.9 | | | |
| 22.5-22.9 | | | | | | 46.0-46.9 | | | |
| 23.0-23.4 | | | | | | 47.0-47.9 | | | |
| 23.5-23.9 | | | | | | 48.0-48.9 | | | |
| 24.0-24.4 | | | | | | 49.0-49.9 | | | |
| Totals: | 1 | 0 | 0 | 0 | 0 | 50.0+ | | | |

Minong Flowage
Washburn County
WBIC 2692900
Wisconsin DNR



Electroshocking route — — — —

